

## | Materials & Finishes

Steel structure th. 8 mm

Steel slats th. 4 mm, h 40 mm with anti-corrosion treatment and hot lacquered

### | Fixing


To embed in concrete with a hammer drill, structure with 4 holes Ø 13 mm (screws not included)

# | Variant

Combination of different colours, additional cost (example photo on the right)








Weight: 65 kg

# CHILD BENCH



Standard colours
















Fixing principle (with fixing center)





Backless bench

# **PASTEL**



## | Materials & Finishes

Steel structure th. 8 mm

Steel slats th. 4 mm, h 40 mm with anti-corrosion treatment and hot lacquered  $\,$ 


### | Fixing

To embed in concrete with a hammer drill, structure with 4 holes Ø 13 mm (screws not included)

# | Variant

Combination of different colours, additional cost (example photo on the right)





Fixing principle (with fixing center)



# Standard colours
























# | Materials & Finishes

Steel structure th. 8 mm

Steel slats th. 4 mm, h 40 mm with anti-corrosion treatment and hot lacquered

# | Fixing

In two parts, assembly by included screws)

To embed in concrete with a hammer drill, structure with 8 holes Ø 13 mm (screws not included)

# | Variant

Combination of different colours, additional cost

### | Options

Amphor flower pot (example photo on the right) colour Charcoal Grey, Melon Yellow, Pastel Blue, Blue Lilac

Planting liner for Amphor flower pot colour Black










Weight: 93 kg

# Fixing principle and bottom view (with fixing centers)





# Standard colours






















# | Materials & Finishes Steel structure th. 8 mm

Steel slats th. 4 mm, h 40 mm with anti-corrosion treatment and hot lacquered

### | Fixing

To embed in concrete with a hammer drill, structure with 4 holes Ø 13 mm (screws not included)

# | Variant

Combination of different colours, additional cost (example photo on the right)







Weight: 40 kg

Fixing principle (with fixing center)



Standard colours






















## | Materials & Finishes

Steel structure th. 8 mm


Steel slats th. 4 mm, h 40 mm with anti-corrosion treatment and hot lacquered

### | Fixing

To embed in concrete with a hammer drill, structure with 6 holes Ø 13 mm (screws not included)

# | Variant

Combination of different colours, additional cost (example photo on the right)







Weight: 75 kg

## Standard colours

















Fixing principle (with fixing centers)



