

Modular seating

Olympe



| Materials & Finishes

Steel structure th. 5 mm anti-corrosion treatment and hot-lacquered RAL or AkzoNobel colours of your choice

| Seat & backrest

Treated bamboo, untreated exotic wood, untreated robinia, untreated larch or recycled plastic


| Fixing

To put on the ground



| Variant

Structure in corten steel



1 Straight module, with backrest




2 Straight module, without backrest




3 Curved module



4 Rounded module



5 Semi-circular module



Modular seating

Olympe

| Materials & Finishes

Steel structure th. 5 mm anti-corrosion treatment and hot-lacquered RAL or AkzoNobel colours of your choice

| Seat & backrest

Treated bamboo, untreated exotic wood, untreated robinia, untreated larch or recycled plastic

| Fixing


To put on the ground

| Variant


Structure in corten steel




A 5-5
5224 x 2877 x H875




B 1-4-1
3994 x 3994 x H875



C 5-1-5-1
4677 x 2832 x H875




D 3-3
7923 x 1246 x H875




Modular seating


Olympe




WOOD




Robinia
Untreated
Density : 750 kg/m³
Origin : UE
Certification : PEFC
Section : 70x35 mm



Larch
Untreated
Density : 600 kg/m³
Origin : UE
Certification : PEFC
Section : 70x35 mm




Moabi
Untreated
Density : 870 kg/m³
Origin : Africa
Certification : FSC
Section : 70x35 mm




Bamboo
Treated
Density : 1150 kg/m³
Origin : Asia
Certification : FSC
Section : 60x40 mm

Saturator, wood stain and paint in option

RECYCLED PLASTIC



Colours : grey or brown
Density : 1000 kg/m³
Origin : Belgium
Section : 57x43 mm



Seats and backrests can be manufactured using various wood species (certification available on request) or recycled plastic slats. Cross-sections vary depending on the material. All slats are installed on edge and feature chamfered edges.

Thanks to the design of these seating elements and our stock management, individual slats can be replaced if necessary. The structure can also be produced in other wood species and materials to integrate seamlessly into your project.